

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28747	curve\$1 near3 approximat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:38
L2	680	1 with ((line\$2 adj segment\$1) or (piecewise near2 linear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:40
L3	79	2 same (curve\$1 near5 (distance\$1 or difference\$1 or error\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:59
L4	5	2 same (curve\$1 near5 (deviation\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:08
L5	61	((((382/199,190,216,217,218,197,289,291).CCLS.) and (@pd>"20041115")) and ((@ad<"20001005") or (@rlad<"20001005"))	US-PGPUB; USPAT	OR	OFF	2005/05/26 12:42
L6	549	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/26 12:43
L7	3	5 and 6	US-PGPUB; USPAT	OR	OFF	2005/05/26 12:51
S1	3	terzian-\$.in. and "382"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/08/05 14:59
S2	844350	contour\$1 or outline\$1 or boundar\$3 or border\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 16:07
S3	6511	(contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 16:31

S4	6810	(table\$1 or tabular or lookup or (look adj up)) near5 vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 16:25
S5	407	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/30 15:58
S6	357	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1)) and (picture\$1 or image\$1 or pattern\$1 or photograph\$1 or photo\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:12
S7	146356	(table\$1 or tabular or lookup or (look adj up)) with (location\$1 or position\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:44
S8	33320	(table\$1 or tabular or lookup or (look adj up)) with (rotation\$1 or orientation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:16
S9	148	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1)) and ((table\$1 or tabular or lookup or (look adj up)) with (location\$1 or position\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:16
S10	15	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1)) and ((table\$1 or tabular or lookup or (look adj up)) with (location\$1 or position\$1))) and ((table\$1 or tabular or lookup or (look adj up)) with (rotation\$1 or orientation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:16
S11	7762	(stored or reference or dictionar\$3) near5 vectors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:37

S12	586232	(object\$1 or pattern\$1 or part\$1 or article\$1) near6 (location\$1 or position\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:48
S13	138386	(object\$1 or pattern\$1 or part\$1 or article\$1) near6 (rotation\$1 or orientation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:50
S14	709	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((stored or reference or dictionar\$3) near5 vectors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:50
S15	41	((object\$1 or pattern\$1 or part\$1 or article\$1) near6 (location\$1 or position\$1)) and ((object\$1 or pattern\$1 or part\$1 or article\$1) near6 (rotation\$1 or orientation\$1)) and (((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((stored or reference or dictionar\$3) near5 vectors))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:52
S16	37	((object\$1 or pattern\$1 or part\$1 or article\$1) near6 (location\$1 or position\$1)) and ((object\$1 or pattern\$1 or part\$1 or article\$1) near6 (rotation\$1 or orientation\$1)) and (((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((stored or reference or dictionar\$3) near5 vectors))) and ((@ad<"20001006") or (@rlad<"20001006"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 16:14
S17	2385	(382/199,190,216,217,218,197,289,291).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/08/05 16:14
S18	598842	contour\$1 or outline\$1 or boundar\$3 or border\$1	US-PGPUB; USPAT	OR	OFF	2003/08/05 16:25
S19	26858	(table\$1 or tabular or lookup or (look adj up) or stored or storing or reference) near5 vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 16:27
S20	4992	(contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1	US-PGPUB; USPAT	OR	OFF	2003/08/05 16:33

S21	1495	((table\$1 or tabular or lookup or (look adj up) or stored or storing or reference) near5 vector\$1) and ((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1)	US-PGPUB; USPAT	OR	OFF	2004/03/30 15:59
S22	103	((table\$1 or tabular or lookup or (look adj up) or stored or storing or reference) near5 vector\$1) and ((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1)) and ((382/199,190,216,217,218,197,289,291).CCLS.))	US-PGPUB; USPAT	OR	OFF	2003/08/05 16:34
S23	43	((table\$1 or tabular or lookup or (look adj up) or stored or storing or reference) near5 vector\$1) and ((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1)) and ((382/199,190,216,217,218,197,289,291).CCLS.)) and (orientation\$1 or rotation\$1)	US-PGPUB; USPAT	OR	OFF	2003/08/05 16:37
S24	41	((table\$1 or tabular or lookup or (look adj up) or stored or storing or reference) near5 vector\$1) and ((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1)) and ((382/199,190,216,217,218,197,289,291).CCLS.)) and (orientation\$1 or rotation\$1)) and ((@ad<"20001006") or (@rlad<"20001005"))	US-PGPUB; USPAT	OR	OFF	2003/08/05 17:27
S25	155	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) same ((reference or relative) near3 (point\$1 or location\$1 or position\$1))	US-PGPUB; USPAT	OR	OFF	2003/08/05 17:33
S26	2139	match\$3 near6 ((reference or relative) near3 (point\$1 or location\$1 or position\$1))	US-PGPUB; USPAT	OR	OFF	2003/08/05 17:43
S27	11	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) same ((reference or relative) near3 (point\$1 or location\$1 or position\$1))) and (match\$3 near6 ((reference or relative) near3 (point\$1 or location\$1 or position\$1)))	US-PGPUB; USPAT	OR	OFF	2003/08/05 17:35

S28	51	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and (match\$3 near6 ((reference or relative) near3 (point\$1 or location\$1 or position\$1)))	US-PGPUB; USPAT	OR	OFF	2003/08/05 17:36
S29	17	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and (match\$3 near6 ((reference or relative) near3 (point\$1 or location\$1 or position\$1)))) and ("382"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2003/08/05 17:36
S30	361	match\$3 near6 (com or cog or ((center\$1 or centre\$1) near2 (gravity or mass)))	US-PGPUB; USPAT	OR	OFF	2003/08/05 17:45
S31	1	(match\$3 near6 (com or cog or ((center\$1 or centre\$1) near2 (gravity or mass)))) and ((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1)	US-PGPUB; USPAT	OR	OFF	2003/08/05 17:50
S32	28	(match\$3 near6 (com or cog or ((center\$1 or centre\$1) near2 (gravity or mass)))) and "382"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/08/05 17:51
S33	602	(contour or boundary) near2 tracing	US-PGPUB; USPAT	OR	OFF	2003/08/06 12:59
S34	244	((contour or boundary) near2 tracing) and ("382"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2003/08/06 12:59
S35	0	((contour or boundary) near2 tracing) and ("382"/\$.ccls.) and 382/141-151,316	US-PGPUB; USPAT	OR	OFF	2003/08/06 13:10
S36	24	((contour or boundary) near2 tracing) and ("382"/\$.ccls.) and 382/141-151,316.ccls.	US-PGPUB; USPAT	OR	OFF	2003/08/06 13:11
S37	23	((contour or boundary) near2 tracing) and ("382"/\$.ccls.) and 382/141-151,316.ccls.) and (@ad<"20001005")	US-PGPUB; USPAT	OR	OFF	2003/08/06 13:11
S38	1	("5,157,736").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/08/06 13:26
S39	39	ninomiya-takanori.in. or yamamura-hisae.in.	US-PGPUB; USPAT	OR	OFF	2003/08/06 13:24
S40	1	(ninomiya-takanori.in. or yamamura-hisae.in.) and (contour\$1 near2 trac\$4)	US-PGPUB; USPAT	OR	OFF	2003/08/06 13:25

S41	853811	contour\$1 or outline\$1 or boundar\$3 or border\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 16:07
S42	10536	(contour\$1 or outline\$1 or boundar\$3 or border\$1) with (((reference or characteristic or center or central) adj point\$1) or centroid\$1 or mass or gravity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 16:13
S43	1238	((contour\$1 or outline\$1 or boundar\$3 or border\$1) with (((reference or characteristic or center or central) adj point\$1) or centroid\$1 or mass or gravity)) and ((match\$3 or compar\$4) near6 (point\$1 or centroid\$1 or mass or gravity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 16:14
S44	627	((contour\$1 or outline\$1 or boundar\$3 or border\$1) with (((reference or characteristic or center or central) adj point\$1) or centroid\$1 or mass or gravity)) and ((match\$3 or compar\$4) near6 (point\$1 or centroid\$1 or mass or gravity))) and image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 16:14
S45	808	((contour\$1 or outline\$1 or boundar\$3 or border\$1) with (((reference or characteristic or center or central) adj point\$1) or centroid\$1 or mass or gravity)) and ((match\$3 or compar\$4) near3 (point\$1 or centroid\$1 or mass or gravity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 16:15
S46	431	((contour\$1 or outline\$1 or boundar\$3 or border\$1) with (((reference or characteristic or center or central) adj point\$1) or centroid\$1 or mass or gravity)) and ((match\$3 or compar\$4) near3 (point\$1 or centroid\$1 or mass or gravity))) and image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 16:15
S47	152	((contour\$1 or outline\$1 or boundar\$3 or border\$1) with (((reference or characteristic or center or central) adj point\$1) or centroid\$1 or mass or gravity)) same ((match\$3 or compar\$4) near3 (point\$1 or centroid\$1 or mass or gravity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 16:15

S48	77	((contour\$1 or outline\$1 or boundar\$3 or border\$1) with (((reference or characteristic or center or central) adj point\$1) or centroid\$1 or mass or gravity)) same ((match\$3 or compar\$4) near3 (point\$1 or centroid\$1 or mass or gravity))) and image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 16:19
S49	168991	vector\$1	US-PGPUB; USPAT	OR	OFF	2003/09/08 07:45
S50	10652	vector\$1 near4 (store\$1 or storing or record\$3)	US-PGPUB; USPAT	OR	OFF	2003/09/08 08:03
S51	779	(vector\$1 near4 (store\$1 or storing or record\$3)) near4 table\$1	US-PGPUB; USPAT	OR	OFF	2003/09/08 08:04
S52	71	((vector\$1 near4 (store\$1 or storing or record\$3)) near4 table\$1) and ("382"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2003/09/08 08:04
S53	1	("5600733").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/08 10:51
S54	0	((("5600733").PN.) and (rotat\$4 or angle\$1 or angular or orient\$6)	US-PGPUB; USPAT	OR	OFF	2003/09/08 12:04
S55	1	("5033099").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/08 10:56
S56	1	((("5033099").PN.) and (rotat\$4 or angle\$1 or angular or orient\$6)	US-PGPUB; USPAT	OR	OFF	2003/09/08 11:26
S57	1	((("5600733").PN.) and (accumulat\$3 or add\$3 or sum\$4 or count\$3)	US-PGPUB; USPAT	OR	OFF	2003/09/08 11:28
S58	1	((("5033099").PN.) and (accumulat\$3 or add\$3 or sum\$4 or count\$3)	US-PGPUB; USPAT	OR	OFF	2003/09/08 11:51
S59	0	((("5033099").PN.) and (filter\$3)	US-PGPUB; USPAT	OR	OFF	2003/09/08 11:51
S60	1835	contour\$1 near2 (track\$3 or trac\$3 or crawl\$3)	US-PGPUB; USPAT	OR	OFF	2003/09/08 11:52
S61	257	(contour\$1 near2 (track\$3 or trac\$3 or crawl\$3)) same edge\$1	US-PGPUB; USPAT	OR	OFF	2003/09/08 11:53
S62	34	((contour\$1 near2 (track\$3 or trac\$3 or crawl\$3)) same edge\$1) and (filter\$3 near5 (point\$1 or pixel\$1 or element\$ or pel\$1))	US-PGPUB; USPAT	OR	OFF	2003/09/08 11:55
S63	1	"6185343".pn.	US-PGPUB; USPAT	OR	OFF	2003/09/08 12:03

S64	1	("5943441").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/08 12:07
S65	1	((("5943441").PN.) and filter\$3	US-PGPUB; USPAT	OR	OFF	2003/09/08 12:11
S66	1	((("5943441").PN.) and track\$3	US-PGPUB; USPAT	OR	OFF	2003/09/08 12:18
S67	1	((("5943441").PN.) and first	US-PGPUB; USPAT	OR	OFF	2003/09/08 12:18
S68	1	"6185343".pn. and (rotat\$4 or angle\$1 or angular or orient\$6)	US-PGPUB; USPAT	OR	OFF	2003/09/08 12:26
S69	1	("5600733").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/23 16:40
S70	1	((("5600733").PN.) and contour\$1	US-PGPUB; USPAT	OR	OFF	2004/03/23 16:40
S71	2692	(382/199,190,216,217,218,197, 289,291).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/25 14:50
S72	479	((382/199,190,216,217,218,197, 289,291).CCLS.) and (@pd>"20030305")	US-PGPUB; USPAT	OR	OFF	2004/03/25 14:51
S73	436	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1)	US-PGPUB; USPAT	OR	OFF	2004/11/15 06:29
S74	3	((382/199,190,216,217,218,197, 289,291).CCLS.) and (@pd>"20030305")) and (((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1))	US-PGPUB; USPAT	OR	OFF	2004/03/25 14:59
S75	2699	(382/199,190,216,217,218,197, 289,291).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/30 15:53
S76	314	((382/199,190,216,217,218,197, 289,291).CCLS.) and (@pd>"20030805")	US-PGPUB; USPAT	OR	OFF	2004/03/30 15:54
S77	169	((382/199,190,216,217,218,197, 289,291).CCLS.) and (@pd>"20030805")) and ((@ad<"20001005") or (@rlad<"20001005"))	US-PGPUB; USPAT	OR	OFF	2004/11/15 06:28

S78	436	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1)	US-PGPUB; USPAT	OR	OFF	2004/03/30 15:58
S79	3	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1)) and (((382/199,190,216,217,218,197,289,291).CCLS.) and (@pd>"20030805")) and ((@ad<"20001005") or (@rlad<"20001005")))	US-PGPUB; USPAT	OR	OFF	2004/03/30 15:58
S80	1681	((table\$1 or tabular or lookup or (look adj up) or stored or storing or reference) near5 vector\$1) and ((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1)	US-PGPUB; USPAT	OR	OFF	2004/03/30 15:59
S81	9	((table\$1 or tabular or lookup or (look adj up) or stored or storing or reference) near5 vector\$1) and ((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1)) and (((382/199,190,216,217,218,197,289,291).CCLS.) and (@pd>"20030805")) and ((@ad<"20001005") or (@rlad<"20001005")))	US-PGPUB; USPAT	OR	OFF	2004/03/30 15:59
S82	9	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1)) and (((382/199,190,216,217,218,197,289,291).CCLS.) and (@pd>"20030805")) and ((@ad<"20001005") or (@rlad<"20001005")))) or (((table\$1 or tabular or lookup or (look adj up) or stored or storing or reference) near5 vector\$1) and ((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1)) and (((382/199,190,216,217,218,197,289,291).CCLS.) and (@pd>"20030805")) and ((@ad<"20001005") or (@rlad<"20001005"))))	US-PGPUB; USPAT	OR	OFF	2004/03/30 16:00
S83	158	((382/199,190,216,217,218,197,289,291).CCLS.) and (@pd>"20040330")) and ((@ad<"20001005") or (@rlad<"20001005")))	US-PGPUB; USPAT	OR	OFF	2005/05/26 12:42

S84	484	((contour\$1 or outline\$1 or boundar\$3 or border\$1) near10 vector\$1) and ((table\$1 or tabular or lookup or (look adj up)) near5 vector\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/26 12:42
S85	3	S83 and S84	US-PGPUB; USPAT	OR	OFF	2004/11/15 06:30
S86	365638	curvature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 17:50
S87	16247	(distance near3 (curve or arc or cord))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 18:10
S88	78	error near3 distance near5 (curve or arc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 17:54
S89	484	error\$1 near5 (distance\$1 or difference\$1) near5 (curve\$1 or arc\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 17:54
S90	1042	S86 same (S87 or S89)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 17:55
S91	518	S86 with (S87 or S89)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 17:55
S92	254	S86 near5 (S87 or S89)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 17:55

S93	338	S90 and (image\$1 or picture\$1 or photo\$1 or photograph\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 17:56
S94	200	S91 and (image\$1 or picture\$1 or photo\$1 or photograph\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 17:56
S95	18	distance near4 cord near4 (arc or curve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 18:10